

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIGURE 1A




FIGURE 1B




FIGURE 1C




FIGURE 10





FIGURE 1E



Part Labels

9 DC motors M (12A max)

5 Control PCB

-1st Ro: push-out motion of right arm

Wt: waist twist

-2nd RA: shoulder and elbow motion of right arm

-3rd Wss: side-to-side waist motion

Wfb: forward-backward waist motion

-4th Lo: push-out motion of left arm

-5th LA: shoulder and elbow motion of left arm


1 Interface PCB

1 CPU-PCB

1 Power supply (w/cooling fan)

*Numbers on the start and finish of the connections indicate the number of wires in the particular band

FIGURE 2






FIGURE 3B




FIGURE 3C




FIGURE 3D




FIGURE 3C





FIGURE 4A






FIGURE 4C




FIGURE 4D




FIGURE 4E




FIGURE 4F